NEW TOWN KOLKATA DEVELOPMENT AUTHORITY

(A Statutory Authority Under Government of West Bengal)
Plot No. DG/13, Premises No. 04-3333, Action Area-ID,
New Town, Kolkata - 700 156

Memo No. 7054/NKDA/EE-E/IT-SEC(NKDA)-NKDA **Date:** 05/11/2026

1st CORRIGENDUM

Reference Tender Notice No.: Notice Inviting e-Tender No.: WBNKDA/30/EE-E/IT-SEC/NKDAOF 2026-27

Name of Work: Comprehensive Operation and maintenance of CCTV (Phase – I and Phase – II) in New Town Kolkata under NKDA.

This is to notify that, after the pre-bid meeting, the following responses are prepared with reference to the above-mentioned NIeT.

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
1	Eligibility-Sl. (4) (Pg. 3); Clause 4.4.2 (Pg. 8); Clause 4.4.4.3 (Pg. 9)	Please clarify the single applicable turnover criterion for this tender: ₹5 crore average annual turnover, ₹2 crore, or another formula. Please confirm the exact financial years and whether turnover is from total business or similar CCTV/IT business.	**Eligibility Criteria for "Pre-Qualification" Sl. (4):** Written as "Average Annual Turn Over from bidding business for the past 3 (Three) Financial Years (2022-23,2023-24,24-25) should be equal to or more than Rs. 5,00,00,000.00 only." **Should be read as** "Average Annual Turn Over from bidding business for the past 3 (Three) Financial Years (2022-23,2023-24,2024-25) should be equal to or more than Rs. 2,00,00,000.00 only. **Clause 4.4.2.:** Written as "Average Annual Turnover during last 3 (three) years should be more than Rs. 5,00,00,000.00." **Should be read as** "Average Annual Turnover during last 3 (three) years should be equal to or more than Rs. 2,00,00,000.00."
2	Eligibility-Sl. (2) (Pg. 2); Clause	Please confirm the applicable credential look-back period and whether completed similar CCTV O&M works from the last five/seven years qualify.	**Eligibility Criteria for "Pre-Qualification" Sl. (2) & Clause 4.4.3.1:** Written as "…In the required certificate it should be clearly stated that the work

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
	8-9)	Please clarify the scope and purpose of the 'last 1 year' requirement in clause 4.4.3.2.	is in progress satisfactorily and also that no penal action has been initiated against the executing bidder /tenderer), in the last 5 (five) financial years from the date of NIT in any Government / ….." **Should be read as** "…In the required certificate it should be clearly stated that the work is in progress satisfactorily and also that no penal action has been initiated against the executing bidder /tenderer), in the last 7 (seven) financial years from the date of NIT in any Government / ….."
3	Eligibility-Sl. (2) (Pg. 2); Clause 4.4.3.1 (Pg. 8-9)	Please confirm whether the second option means two separate completed contracts, each having a value of at least ₹1.00 crore, and whether the ₹1.50 crore threshold for running works is the value completed to date or the total work-order value.	**Eligibility Criteria for "Pre-Qualification" Sl. (2) & Clause 4.4.3.1 should be read as:** Any completed work (supported through Completion Certificate) having value of Rs.1,50,00,000.00 only in Government/Semi-Government/ Undertakings/Autonomous/ Statutory bodies/ Local Bodies Or, Any 2 nos. of completed works (supported through Completion Certificate) having value of Rs. Rs.1,00,00,000.00 only in Government/Semi Government/ Undertakings/Autonomous/ Statutory bodies/ Local Bodies Or, The bidder should produce credential of single running work of similar nature which has been completed to the extent of 80% or more and value of which is not less than the desired value of Rs.1,50,00,000.00 only as mentioned above. Payment certificate must be issued by not the rank below Executive Engineer in Government/Semi

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
			Government/ Undertakings/ Autonomous/ Statutory bodies/ Local Bodies
4	Clause 4.1.2 (Pg. 7-8)	Please clarify whether specialist OEM support, authorized service partners, licensed software support and OEM warranty repairs are permitted as OEM-backed support without being treated as prohibited subletting. Please confirm that the prime contractor retains full contractual responsibility.	Refer to Annexure V, enclosed below.
5	Clause 4.1.2 (Pg. 7-8)	Please clarify the exact mandatory makes/model families for each component and whether equivalent or interoperable products are permitted. Please provide the technical justification and confirm whether the listed makes are mandatory or indicative.	Refer to Annexure V, enclosed below
6	ITB (Pg. 8); Clause 12 (Pg. 14); Annexure II (Pg. 20–22)	Please provide current VMS/ITMS versions, licence inventory, server architecture, API/SDK documentation, integration prerequisites and the precise meaning of 'without any changes'. Confirm who supplies upgrade licences and bears any OEM fees or upgrade-related downtime.	Shall be shared with the selected bidder, basis the available inventory
7	Clause 12 (Pg. 14)	Please provide ICCC interface/API specifications, supported protocols, test environment, third-party contact details, cybersecurity requirements, data fields, acceptance criteria and responsibility for third-party changes or licence charges.	Shall be shared with the selected bidder, basis the available inventory
8	Clause 12 (Pg. 14- 15); Annexure (Pg. 16–22)	Please clarify the exact mandatory makes/model families for each component and whether equivalent or interoperable products are permitted. Please provide the technical justification and confirm whether the listed makes are mandatory or indicative.	Shall be shared with the selected bidder, basis the available inventory
9	Clause 11.23 (Pg. 13)	Please clarify that any addition, deletion, relocation, new integration, new camera, additional coverage area	As per tender document

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		or material increase in service levels will be instructed in writing and valued using agreed rates or a mutually agreed variation mechanism. Confirm that material scope changes will not be imposed without time/cost adjustment where warranted.	
10	Clause 12 (Pg. 14- 15); Important Instruction (Sl. 15) (Pg. 5)	Please define included consumables/spares versus major replacements, repair versus replacement thresholds, ownership of replaced items, annual spare quantities, and exclusions for vandalism, theft, lightning, flooding, vehicle impact and third-party cable cuts. Please confirm whether major equipment replacement is reimbursable.	Shall be under the scope of the selected bidder
11	Clause 12-Sl. 7 (Pg. 14)	Please define SLA clock commencement, acknowledgement versus physical attendance, 24×7 coverage, time zone, approved ticketing method, escalation chain, dependency pauses and closure acceptance. Please clarify how multiple simultaneous incidents are treated.	As per tender document
12	Clause 12-Sl. 7 (Pg. 14)	Please confirm whether deductions are per incident or per SLA breach, how repeated incidents and overlapping priorities are counted, whether the same root-cause event can attract multiple deductions, and the maximum aggregate deduction per quarter and contract year. Please provide a cure/dispute process.	As per tender document
13	Clause 12-Sl. 10 (Pg. 15)	Please clarify whether resolution time is suspended while awaiting authority approval, site access, police clearance, OEM response or third-party utility work. Confirm emergency authority to take immediate protective/restoration action.	Relevant incidences shall be dealt with separately with prior approval of the Competent Authority, as deemed suitable.
14	Clause 12 (Pg. 14–15)	Please provide the required staffing schedule by role, qualification, shift,	This is a comprehensive service contract. Selected bidder shall be

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		location and minimum headcount; clarify whether 24×7 control-room presence is required and who provides workspace, power, connectivity and access passes.	required to comply with the SLA and the Scope of Work given in the tender appropriately.
15	NIT (Pg. 5); Clause 12 (Pg. 14–15); Annexure (Pg. 16–22)	Please provide the complete geotagged camera/site list, cable route drawings, rack/server locations, access restrictions, working-at-height requirements, road-cutting permissions and permitted work windows. Confirm who obtains permissions and bears restoration costs.	Shall be shared with the selected bidder, basis the available inventory
16	Clause 8 (Pg.11); Annexure-II (Pg. 18–22); Clause 12 (Pg. 14)	Please provide as-built topology, IP/VLAN plan, bandwidth and latency requirements, OFC core allocation, link redundancy, current network capacity, routing/firewall rules and responsibility boundaries with other agencies.	Shall be shared with the selected bidder, basis the available inventory
17	Clause 12 (Pg.14–15); Clause 8 (Pg.11)	Please specify data ownership, authorized access, credential management, encryption, audit logs, patching windows, vulnerability remediation, incident notification timelines, video retention, backup recovery objectives, secure disposal and liability allocation for incidents attributable to each party.	Shall be shared with the selected bidder, basis the available inventory
18	ITB (Pg. 8); Annexure (Pg. 16–22)	Please provide a licence inventory, entitlement and expiry dates, channel counts, upgrade rights, annual support costs, analytics feature counts and licence transfer/renewal responsibility. Confirm whether all OEM subscriptions and future version upgrades during three years are included.	Shall be shared with the selected bidder, basis the available inventory
19	Clause 9 (Pg. 11); Clause 11.18 (Pg. 13)	Please confirm the exact security deposit percentage, whether it is 10% total or 8% RA deductions, how EMD is adjusted, whether deductions are cumulative, and the exact release milestone/date. Please clarify the	**Clause 9.1:** Written as "10% of quoted price less EMD Amount. The SD will be deducted from RA Bills. It will be returned after successful maintenance of the proper handing over of the asset to NKDA."

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		meaning of the 90-day period and its relationship to the maintenance/defect-liability period.	**Should be read as** "2% of quoted price less EMD Amount to be submitted during the agreement. The remaining 8% SD will be deducted from RA Bills. It will be returned after successful maintenance of the work and proper handing over of the asset to NKDA after completion of defect liability period."
20	NIT (Pg. 1); ITB (Pg .10); (Pg. 11–13)	Please confirm the start/end dates for the three-year AMC, commencement of SLA obligations, any initial mobilisation/transition period, whether DLP runs concurrently or additionally, and the handover/exit obligations at contract end.	As per tender document- Clause 9.3 and Clause 9.4
21	Clauses 4.5–4.6 (Pg. 10); Clauses 11.15–11.19 (Pg. 13)	Please confirm the applicable tax treatment for AMC versus supply/installation items, statutory deductions and cess applicability, and treatment of any change in tax law or government-imposed charges during the three-year period. Please confirm whether quoted rates should separately identify GST in the BOQ.	As per tender document- Clause 4.5 (Sl. 2) for the elements inclusive of the quoted rate.
22	Clause 8 (Pg. 11)	Please provide required document templates, drawing formats, level of detail, asset tagging standard, backup media/retention rules, credential transfer method and approval criteria. Clarify whether as-built drawings and configuration backups are required for all existing and newly modified infrastructure.	Shall be shared with the selected bidder, basis the available inventory
23	Annexure (Pg. 16–23); ITB (Pg. 10-11)	Please clarify whether payment is based on actual measured quantities, fixed lump-sum/lot quantities, or scheduled quantities; define measurement records, approval of extra quantities, treatment of omitted items and whether AMC rates are separate from supply/installation rates.	As per tender document- Scope of Work & Payment Terms

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
24	Clause 12-Sl. 7 (Pg. 14–15); Annexure (Pg. 16–22)	Please provide measurable acceptance criteria for camera uptime/image quality, ANPR accuracy conditions, analytics detection, recording/retention, failover, network availability, API integration and recovery tests, including exclusions for lighting/weather/third-party network limitations.	As per tender document
25	NIT- Pg. 1, 4; Clause 10 (Pg. 11)	Please confirm the single bid-validity commencement date and align the withdrawal restriction with it. Clarify the process for any extension of bid validity and whether bidder consent is required.	As per tender document
26	Clause 12-Sl. 5 (Pg. 14)	Kindly provide the route-wise duct/pit schedule, applicable NTTDICO tariff, rental period, billing basis, current payable rates and any existing dues. Please clarify whether the quoted rate is to cover only existing routes used by the CCTV network or also additional routes/duct capacity required during the contract. Please clarify treatment of tariff revisions, new route requirements and outages/delays attributable to NTTDICO or another third-party agency.	Shall be shared with the selected bidder, basis the available inventory
27	NIT Eligibility criteria (Pg. 3); Clauses 4.4.2 and 4.4.3.4 (Pg. 8–9)	Kindly confirm the single controlling financial eligibility criterion, including minimum average annual turnover, financial years, calculation basis and whether turnover is assessed from total contracting business or similar CCTV O&M business. Kindly amend or delete conflicting provisions through corrigendum.	Refer to Pre-bid Response- Sl. 1, as mentioned above
28	Clause 4.4 (Pg. 8); Annexure-II (Pg. 20–22)	Kindly confirm installed IVMS/ITMS versions, build numbers, modules, active channel licences, server/database dependencies and existing integrations. Please clarify the exact scope of IVMS 3.0 upgrade, whether upgrade licences	The present IVMS running under videonetics are: i. IVMS 3.0- ML ii. IVMS 3.0- CCL

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		and OEM professional services are included in the BOQ, permitted changes to the existing GUI, backward compatibility requirements, migration/rollback plan, downtime window and authority/OEM acceptance criteria.	
29	Clause 12-Sl. 7 (Pg. 14)	Kindly provide ICCC interface/API specification, API endpoints and versions, supported protocols, data schemas, event/alert definitions, authentication and cybersecurity requirements, test/sandbox access, rate limits, network prerequisites, third-party contacts and integration acceptance test cases. Please identify the party responsible for API availability, third-party approvals, access credentials, licence charges, API changes and delays caused by systems not under the bidder's control.	Shall be shared with the selected bidder, basis the available inventory
30	Clauses 9.1–9.4 (Pg. 11); Clause 11.18 (Pg. 13)	Kindly confirm the applicable security deposit percentage and calculation base, whether the 8% RA-bill deduction is an alternative to or additional to the 10% security deposit, how EMD will be adjusted, the applicable security/defect-liability period, and the exact release milestone and timeline. Please clarify whether the 90-day refund provision applies after completion, after the maintenance period, or after expiry of the defect-liability period, and amend the conflicting clauses by corrigendum.	Refer to Pre-bid Response- Sl. 19, as mentioned above
31	Clause 12 (Pg. 14–15); Clause 8 (Pg. 11); Clauses 4.3–4.4 (Pg. 8)	Kindly specify all credentials, documents, approvals and access arrangements to be handed over by NKDA and/or the existing system/OEM before AMC commencement, including administrator credentials, VMS/ITMS and analytics licences, server/NAS access, IP/VLAN plan, network	Shall be shared with the selected bidder, basis the available inventory

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		topology, backups, configuration files, warranty/support records, OEM escalation contacts, asset register, as-built drawings and existing fault/pending-ticket register. Please confirm that SLA and penalty obligations will commence only after joint handover, baseline verification and provision of necessary access and information.	
32	Clause 12 (Pg. 14–15); Clause 8 (Pg. 11); Annexure (Pg. 16–23)	Kindly provide the latest asset-wise as-installed inventory for all Phase I and Phase II hardware and software, including manufacturer/make, model, serial number, installation/location details, firmware and software versions, configuration baseline, licence ID/quantity/expiry, warranty/support status, IP address where applicable, recording/storage capacity and current operational condition. Please confirm that this inventory will be jointly verified and signed by NKDA, the outgoing/current agency and incoming contractor before AMC commencement.	Refer to Annexure V, enclosed below
33	Clause 4.4 (Pg. 8); Annexure-II (Pg. 20)	Please confirm that a replacement STQC-certified camera meeting tender specifications will integrate with the existing VMS without additional channel licence, software modification, OEM fee or configuration charge. Specify required ONVIF/profile, protocol and firmware compatibility, testing/approval process and who bears any additional integration cost.	As per tender document- Scope of Work
34	Clause 4.3 (Pg. 8); Annexure (Pg. 16–23)	Please issue a complete item-wise approved Make, Model and OEM list, and identify all items requiring MAF, including camera, L3 switch, fibre-optic core switch, PoE switch, server, NAS, workstation, NAS HDD, SFP, offline UPS, online UPS, UPS battery, 49-inch Full HD/UHD display, LPU and power	As per tender document- Scope of Work

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		failure indication system. State quantities, specifications, authorization format and whether technically equivalent current-generation models are allowed.	
35	Annexure (Pg. 16–23)	Please specify the OEM/make/model or confirm equivalent products are acceptable. Provide function, rating, input/output contacts, communication protocol, alarm/notification method, integration points, power requirements and acceptance test criteria.	As per tender document- Scope of Work
36	Clause 4.3 (Pg. 8); Annexure- I (Pg. 19)	Please confirm exact model/part number and current OEM support status and explain how MAF and ongoing support are to be obtained if the specified model is end-of-sale/end-of-support. If discontinued or unsupported, confirm acceptance of a current-generation NAS from another OEM with equal or better capacity, RAID, performance, interfaces, compatibility and support.	As per tender document- Scope of Work
37	Clause 4.4 (Pg. 8); Annexure (Pg. 19–22)	Please provide server make/model or equivalency criteria and complete specifications: CPU/core/clock, RAM, OS/version, storage and usable capacity, RAID/controller, network interfaces/speeds, redundant PSU, GPU if required, database/software prerequisites, virtualization, backup/redundancy, warranty/support and performance acceptance criteria. Clarify whether existing server is to be retained/upgraded or a new server supplied.	Refer to Annexure V, enclosed below
38	Annexure (Pg. 19)	Please provide the LPU function and full specification, including device type, CPU/cores, RAM, storage/RAID, OS/version, GPU/accelerator if required, network ports/speeds, SFP/fibre interfaces,	Shall be shared with the selected bidder, basis the available inventory

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
		industrial/environmental rating, PSU/UPS, enclosure/mounting, remote management, cybersecurity, warranty, licence compatibility and acceptance benchmarks. Confirm whether an industrial PC, server or dedicated appliance is required.	
39	Clause 12.6 (Pg. 14)	Kindly clarify the bidder's liability in the event of theft, vandalism, or physical damage to CCTV equipment, cables, poles, and other installed infrastructure caused by third parties or circumstances beyond the bidder's control. Further, please clarify the treatment of damages arising from force majeure events, including floods, fire, lightning, and natural disasters, and specify whether repair or replacement costs shall be borne by the bidder or the Authority. We request that the bidder's liability be limited to damages directly attributable to its negligence, wilful misconduct, or contractual breach, and that the tender define the applicable procedure for incident reporting, joint inspection, and approval of repairs or replacements. Any costs arising from theft, third-party damage, or force majeure events beyond the bidder's control should be borne by the Authority, unless otherwise expressly specified in the tender. No penalty, SLA deduction, or other financial recovery shall be imposed on the bidder	The scope for comprehensive maintenance is defined under Clause 12. Regarding damage of civil works due to any external hazards, the decision shall be taken by the Competent Authority, as deemed fit in that situation.
40	--	A report on the health status of the existing CCTV infrastructure is seeked prior to submission of bids, specifically seeking clarification on whether all installed CCTV cameras are presently functional.	A survey may be conducted by the bidder and assessment may be done. Necessary estimate may follow the same.
41	--	Format for Bidder's Annual turnover over last 3 financial years	Refer to Annexure- II, enclosed below. Bidder is required to upload the filled in

Sl. No.	Tender Reference-Clause (Page No.)	Pre-bid Queries	Response
			template before submission of the bid.
42	--	Format for Authorization Letter for submitting bid documents	Refer to Annexure- III, enclosed below. Bidder is required to upload the filled in template before submission of the bid.
43	--	Format for Declaration / Undertaking by Bidder for no consortium and sub-contracting	Refer to Annexure- IV, enclosed below. Bidder is required to upload the filled in template before submission of the bid.

Note: 1. All other terms and conditions shall remain unchanged.

2. This Corrigendum shall form an integral part of the Notice Inviting Tender (NIT).

05/11/26

Executive Engineer Electrical
New Town Kolkata Development Authority

Memo No. 7054 **/NKDA/EE-E/IT-SEC(NKDA)-NKDA** **Date:** 05/11/2026

Copy forwarded for information to:

1. The Chief Executive Officer, NKDA
2. The Chief Engineer, NKDA
3. The Administrative Officer EM, NKDA
4. The Finance Advisor, NKDA
5. The Finance Officer, NKDA
6. Office Notice Board
7. Official website of NKDA

05/11/26

Executive Engineer Electrical
New Town Kolkata Development Authority

ANNEXURE- II

Bidder's Annual turnover over last 3 financial years

Bidder's Annual turnover over last 3 financial years
<<To be printed on bidder company's letterhead and signed by Authorized signatory>>

Date: dd/mm/yyyy

To,
Executive Engineer (E)
New Town Kolkata Development Authority,
Administrative Building. Plot No - DG/13,
Premises No - 04-3333, Action Area - ID,
New Town, Kolkata - 700156

Dear Sir,
I have carefully gone through the Terms & Conditions contained in the RFP Document. I hereby declare that below are the details regarding Overall turnover over last 3 financial years for our organization.

Sl No	Details	FY 2022-23 (in Cr.)	FY 2023-24 (in Cr)	FY 2024-25 (in Cr)
1.	The bidder must have an annual sales turnover of Rs. 10 cores during each of the last three financial years (i.e. **2022-23;23-24;24-25)**			

Yours Sincerely,

_____

Signature of Statutory Auditor (with official seal)

Name :
Designation :
Address :
Telephone& Fax :
E-mail address :

ANNEXURE-III

Authorization Letter for submitting bid documents

Ref No:____ Date:--/--/2026

Executive Engineer (E)
New Town Kolkata Development Authority,
Administrative Building. Plot No - DG/13,
Premises No - 04-3333, Action Area - ID,
New Town, Kolkata - 700156

Dear Sir,
Subject: Authorization Letter for submitting bid documents
REF: NIeQ Ref No. _____

This has reference to your above NIeQ for procuring the Solution for a period of 3 years. Mr/Mrs/Miss _____is hereby authorized to submit the bid documents, in sealed format to participate in tender and to sign the contract on behalf of our organization for all the systems/ goods required by this authority as called for vide this authority's Notice Inviting e-Tender vide NIeQ _____dated_____on behalf of our organization.
We confirm that all the prices quoted intender by him shall be binding onus. He/She is also authorized to take decisions on behalf of the company till NIeQ process is completed. Certified Xerox copy of Power of Attorney (P/A) of the person authorizing such person is duly submitted.
We hereby extend our full guarantee and warranty as per Clauses of Contract for the goods and services offered against this NIeQ.

The specimen signature is attested below:

Specimen Signature of Representative

Signature of Authorizing Authority

Name of Authorizing Authority (Certified Xerox copy of P/A of authorized Signatory/authority is to be submitted)
Note: This letter of authority should be on the letterhead of the principal on whose behalf the proposal is submitted and should be signed by a person competent and having the power of attorney to bind the principal. It should be included by the Service provider in its bid.

ANNEXURE-IV

Declaration / Undertaking by Bidder for no consortium and sub-contracting

To
The Executive Engineer (E)
New Town Kolkata Development Authority (NKDA)
Administrative Building, Plot No. DG/13,
Premises No. 04-3333, Action Area – ID,
New Town, Kolkata – 700156.

Ref: .....
Ref No. .....
Subject: Undertaking for no consortium and no sub-contracting for the work of **Comprehensive Operation and maintenance of CCTV (Phase – I and Phase – II) in New Town Kolkata under NKDA.**

Dear Sir,
In response to the Tender for "Selection of Agency for Comprehensive **Operation and maintenance of CCTV (Phase – I and Phase – II) in New Town Kolkata under NKDA.**" I/We/M/s. _____declare that neither we will engage any sort of consortium nor subcontracting this work.

Name of the Bidder: -

Signature: -

Seal of the Organization: -

ANNEXURE- V
Required OEM Specification Sheet

Sl. No.	Item Name	Make	Model No
1.	CCTV Unit CP Plus, lens	CP Plus Box Camera: CP Plus Box Camera lens: CP Plus Bullet Camera: CP Plus PTZ Camera:	CP-UNC-BE41E-VMD CP-UML-AF550 CP-UNC-TD41ZL5-VMD CP-UNP-F4521L30-DAP
2.	Switch	Allied Telesis D-Link, Netgear,	AT-IE210L-10GP, AT-SPLX10 DGS-3630-28TC GS510TPP
3.	Camera Housing	CP Plus	CP-UA-H14L100B-VP
4.	Storage	Netgear	RN214
5.	Server	HP HP	ML350 ML 30 DL360 / DL380 Gen10
6.	Work Station	HP HP	Elite 800 HP Z2 Tower G5
7.	TV Unit	LG	49SE3KE, 49UH5F
8.	UPS	OFFLINE BPE 6KVA ONLINE AVO	BP650 HP-1000-6KVA, HP300 - 3KVA
9.	VMS	Videonetics IVMS3.0 and ITMS	IVMS 3.0-ML IVMS 3.0-CCL

Location of all CCTVs & ANPR (Phase – I and Phase – II)

Sl. No.	Location Name	No of CCTV
1	St. No. 303 & 2222 Crossing	8
2	St. No. 41 & 64 Crossing	3
3	St. No. 358 & OHIO Crossing	4
4	St. No. 306 & 314	5
5	St. No. 306 & 269	5
6	St. No. 327 & HIDCO BHAWAN	4
7	St. No. 315 & 368 (Unitech gate 2)	4

Sl. No.	Location Name	No of CCTV
8	HIGH COURT	17
9	SWAPNA BHORE	2
10	SMART STREET	2
11	St. No.269 & 302	5
12	Thakdari Crossing	8
13	Eco Space Island	16
14	BiswarjanGhat	4
15	Utsa More	5
16	St. No. 240 & 199	5
17	St. No. 97 & 104 (APJ Collage)	7
18	St. No. 45 & 77 (Old PS)	6
19	Eden Court	8
20	St. No. 90 & 77 Business Club	4
21	Eco Space Exit Cut Out	5
22	Eco Space Middle Cut Out	4
23	Eco Space Entry Cut Out	5
24	St. No. 165 & 144	9
25	Newtown Flyover	4
26	Sl No. 64 & DLF 1	3
27	Nazrul Tirtha	3
28	Box Bridge	4
29	TCS Geetanjal Flyover Ascending	7
30	St. No. 90 & 85	4
31	St. No. 300 & 279	4
32	St. No. 279 & Newtown School Gate	2

Sl. No.	Location Name	No of CCTV
33	Jatragachi Flyover Descending po	6
34	Rahara Heights	4
35	St. No. 358 & 327	4
36	Manicasadona	10
37	St. No. 70 & 77 Estern High	8
38	AlihaUnivercity Crossing	9
39	Eco Park Gate 1	8
40	Eco Park Gate 2	8
41	St No. 47 & Jheelpar	4
42	St No. 67, 69 & 64	3
43	Registrtry office More, St no 67	5
44	Jatragachi Phari	7
45	Westin Crossing	7
46	City Center II	8
47	Teen Kanya	9
48	St. No. 95 & 124	6
49	Akhankha More	15
50	Sranchi Crossing	9
51	Tata Housing	4
52	St. No. 240 & In Front of Axis m	3
53	St. No. 24 & 29	3
54	Tata medical Crossing	17
55	St. No. 24 & 79	5
56	St. No. 175 & 184	3
57	Uniworld &Rosedeal Karigori End	4

Sl. No.	Location Name	No of CCTV
58	Ahirini Market	4
59	Uniworld &Rosedeal Karigori Cro	12
60	MahapragyapagyaMahasraman	5
61	Haji Bachu Party Office	6
62	Kadampukur Crossing	6
63	Shilpota More	4
64	Smart Street Bus Stand	2
65	SWAPNA BHORE Bus Stand	2
66	Baligori Jain Tample	4
67	Uttara behind City Center	3
68	Starlight Hosing	7
69	St. No. 358 &BagjolaCanel St.	4
70	Bagjola Canal St. & St. no. 360	4
71	St. No. 360 & 315	3
72	NatunPukur	4
73	Sapoorji Crossing	8
74	Sapoorji Flyover Descending Point	4
75	Sapooji Bus Stand	5
76	Sapoorji Petrol Pump	7
77	Ram Mandir Crossing	10
78	St. No. 240 & 2222	10
79	St. No. 104 & 95 (ISSRO)	4
80	St. No. 110 & 101 Goel Buildind	4
81	St. No. 175 InfrontOf NBCC	4
82	Narkel Bagan	28

Sl. No.	Location Name	No of CCTV
83	St. No. 240 & 144 Axis/ Novotel C	16
84	Derozio Crossing	8
85	Jatragachi Bridge Cut Out	9
86	BSNL Cut Out Airport Bound	5
87	Infront Hidco Bhawan U-Turn Cut	4
88	St. No. 165 & 160 Xing	5
89	St. No. 165 & 166 Xing	5
90	Mehmaan Cut Out	4
91	Mela Ground Cut Out	6
92	Sankolpo II Cut out 1&2	6
93	Aristocart Hotel Cutout	3
94	Edenshop Crossing	6
95	Unitech Gate-2 Main road Cross P	2
96	St. No. 97/144/146 Connecting Po.	7
97	St. No. 124 &97 Connection Poin	8
98	CB Market CutOut	5
99	Axis Mall Indian Oil Pump Cutout	8
100	Newtown Flyover Underpass Near C	14
101	Ruposi Bangla Cutout	3
102	On-10 Ps Group Cutout St. No. 2	3
103	Thakdari Jama Masjid Cutout	3
104	Galaxy Health Center	2
105	St. No. 302/323/299 Xing	7
106	Robi Rashmi Cutout	5
107	St. No. 324 Opposite OHIO Kolkata	4

Sl. No.	Location Name	No of CCTV
108	Mizorum House Cutout	4
109	Jal Vayu Tower Cutout	3
110	St. No. 314/303 Connecting Point	5
111	Manasa Mandir Cutout	3
112	Biswa bangla Ticket Counter Co.	8
113	Unitech Gate-1 & Shankar Netrala	5
114	Infront of NKDA Market Kolkata-B	2
115	Mother Dairy Cut out	3
116	St. No. 300/256/2222 Xing	8
117	Judicial Cutout	6
118	Smart Plaza Park Cut out	3
119	Coco More	8
120	UEM CollgeCutout Kolkata Bound	3
121	Karigori Bhawan Cutout	3
122	Pitch Plant Cut Out	3
123	Bodhichariya School CouOut	11
124	ECO Park Gate 3 No CutoutAirpo	3
125	Mugul - E- Azam Cutout Airport Bou	3
126	Haj House Cut Out	12
127	Mother Wax Museum Cut Out	3
128	Silicon VallyCutOut	4
129	Kadampukur road &Alhia Back Sid	8
130	Amity University Cutout	7
131	Coffee House Cut out	6
132	Vangar More Cut Out	6

Sl. No.	Location Name	No of CCTV
133	16 No. Water Tank Cut Out	12
134	Unitech Gate - 1 U Turn CutOut	5
135	Nawabpur St No. 568 & 645 Conne	10
136	Akhankha St. No. 568 & 651 Conne	8
137	St. No. 757 & 676 Cut Out	3
138	11 No. Water Tank	3
139	St. No. 729 & 687/12 Matha Xing	16
140	St. No. 729 & 676 Xing/12 NO. Tank	7
141	Eco Suite Building Cut Out	4
142	St. No. 30/39/41 Crossing	4
143	18 No. Water Tank Cut Out	7
144	Sapoorji Complex Cut Out	13
145	DLF- 1 , Gate No. 5, St. No. 37	4
146	St. No. 702/ Maruti Suzuki Cut Out	4
147	Nawabpur Cut Out	14
148	Under Box Bridge	5
	Total No CCTV	**896**

Location of ANPR:

ANPR & RLVD Details		
Sl. No.	**Location Name**	**No Of ANPR**
1	BOX BRIDGE 01 A.B.	3
	BOX BRIDGE 02 K.B	3
2	DEROZIO CROSSING01	3
	DEROZIO CROSSING02	3

3	DLF 1AIRPORTBOUND	2
4	ECOPARK AIRPORT BOUND(2)	2
5	ECOPARK GATE 01	3
	ECOPARK GATE 02	3
6	ECOPARK KOLKATA BOUND	2
7	NATUNPUKUR	4
8	NEWTOWN FLYOVER 01 A.B.	3
	NEWTOWN FLYOVER 02 K.B.	3
9	SAPOORJI	4
10	ST24ST79	4
11	TATA MEDICAL01	2
	TATA MEDICAL02	2
	TATA MEDICAL03	2
12	TENNKANYA CROSSING	2
13	UTSA MORE	4
	Total	54

FORM-II

TECHNICAL COMPLIANCE SHEET

(Bidders are requested to fill in and upload with the technical bid; non-submission of any supportive document will lead to bid rejection / disqualification)

SL No.	Description	Submitted YES / NO	Page No.
1	Valid trade license showing office and support centre in Kolkata		
2	Completion Certification as Credential		
3	Filled up Annexure-I (Sample format for Affidavit)		
4	Filled up Annexure-II (Bidder's Annual turnover over last 3 financial years)		
5	Filled up Annexure- III (Authorization Letter for submitting bid documents)		
6	Filled up Annexure- IV (Declaration / Undertaking by Bidder for no consortium and sub-contracting)		
7	Copies of registration details of the Name, address, etc. of the Firm.		
8	Copy of pan card		
9	Latest Income Tax return		
10	GST Registration No. with relevant document		
11	Audited Balance Sheet of last 3 Financial years. (2022-23,2023-24,24-25)		
12	Relevant document in support of annual turnover		
13	Professional Tax Payment Certificate		

SL No.	Description	Submitted YES / NO	Page No.
14	PF and ESI Certificate		
15	OEM MAF for all Hardware's authorization for tender		
15.1	CCTV Unit CP Plus, lens		
15.2	Switch:		
15.3	Camera Housing		
15.4	Storage		
15.5	Server		
15.6	Work Station		
15.7	TV Unit		
15.8	UPS		
15.9	VMS		
16.	Declaration/ Undertaking by Bidder for no consortium and sub-contracting		
17.	Bank		

_____

(Signature of the Bidder with date and Seal)